

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addiese: COMMISSIONER FOR PATENTS P O Box 1450 Alexandra, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/549,895	08/07/2006	Rangaswamy G. Iyengar	TESZ 2 00196	7192
27885 7590 03/10/2009 Fay Sharpe LLP			EXAMINER	
1228 Euclid Avenue, 5th Floor			KIM, CHRISTOPHER S	
The Halle Buil Cleveland, OH			ART UNIT	PAPER NUMBER
,			3752	
			MAIL DATE	DELIVERY MODE
			03/10/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No. Applicant(s) 10/549.895 IYENGAR ET AL. Office Action Summary Examiner Art Unit Christopher S. Kim 3752 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 29 December 2008. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-10 and 21 is/are pending in the application. 4a) Of the above claim(s) _____ is/are withdrawn from consideration. 5) Claim(s) _____ is/are allowed. 6) Claim(s) 1-10 and 21 is/are rejected. 7) Claim(s) _____ is/are objected to. 8) Claim(s) _____ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abevance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) Notice of References Cited (PTO-882)

2) Notice of Draftsperson's Patient Drawing Review (PTO-948)

3) Pager Not-Nide Of Inflating Review (PTO-948)

4) Interview Summary (PTO-413)

Pager Not-Nide Of Inflating Review (PTO-948)

5) Netter of Inflating Review (PTO-948)

Pager Not-Nide Of Inflating Review (PTO-948)

6) Other:

Page 2

Application/Control Number: 10/549,895

Art Unit: 3752

DETAILED ACTION

 The prior Office action (mailed approximately March 6, 2009) is hereby vacated in lieu of this Office action. The prior Office action failed to include a PTO 892 listing the newly cited reference.

Response to Amendment

- The response filed December 29, 2008 is acknowledged.
- The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Flection/Restrictions

Applicant elected without traverse Species B (figure 2) in the reply filed on June
 2008.

Claim Rejections - 35 USC § 112

5. Claims 1-10 and 21 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Regarding claim 1, the preamble is directed to a "spray device" but the claim body contains recitations directed to the relationship between the spray device, "fluid reservoir" and the "compressed source," e.g., "the valve providing for selective

Application/Control Number: 10/549,895

Art Unit: 3752

communication between the associated fluid reservoir and the outlet...the valve engages the first valve seat to preclude fluid from the associated reservoir...and in a third position the valve engages the second valve seat and precludes fluid flow from the associated reservoir." The preamble is directed to the subcombination of the spray device, but the claim body is directed to the combination of the spray device, fluid reservoir and the compressed source.

Claim 9 recites the limitation "the dispensing head" in line 2. There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

 Claims 1, 2, 9, 10, 21 are rejected under 35 U.S.C. 102(b) as being anticipated by Paul, Jr. (3,223,173).

Paul discloses a spraying device comprising:

a dispensing assembly 12 having a handle 51 and an outlet 41;

a passage 23;

a valve 32, 44 received in the passage 23 between first 43 and second 35 valve seats:

Application/Control Number: 10/549,895

Art Unit: 3752

a movable stem 26 having a first position (unactuated position), a second position (fully depressed); a third position (partially depressed).

Claim Rejections - 35 USC § 103

 Claims 3-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Paul, Jr. (3,223,173).

Paul discloses the limitations of the claimed invention with the exception of the moveable stem being hollow. Making elements hollow is well known. It would have been obvious to a person having ordinary skill in the art at the time of the invention to have made the stem of Paul hollow to make the device light weight (reduce weight).

Response to Arguments

 Applicant's arguments filed December 29, 2008 have been fully considered but they are not persuasive.

Applicant argues that neither the fluid reservoir nor the compressed source is expressly claimed. The claims should be amended to remove all positive recitations directed to the fluid reservoir and compressed source, or the preamble should be amended to reflect a combination of the spraying device, fluid reservoir and compressed source.

Conclusion

Application/Control Number: 10/549,895 Art Unit: 3752

10. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher S. Kim whose telephone number is (571) 272-4905. The examiner can normally be reached on Monday - Friday, 8:30 AM - 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Len Tran can be reached on (571) 272-1184. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/549,895 Page 6

Art Unit: 3752

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Christopher S. Kim/ Primary Examiner, Art Unit 3752

CK